

EAST - [10966962.wsp:1]

File View Edit Tools Window Help

Drafts
 BRS:
 BRS:
 IS&R:
 BRS:
 BRS:
 IS&R:
 BRS:
 BRS:
 BRS:
 BRS:
 Pending
 Active
 L1: (14) "4040070"
 L2: (17) Combined citation search 1
 Failed
 Saved
 Favorites
 Tagged (0)
 UDC
 Queue
 Trash

Search List Browse Queue Gear
 DBs US-PGPUB; USPAT; USOCR
 Default operator: OR

("3205802" | "3455218").PN. OR ("4040070").URPN.

Bulk
 Highlight hit terms initially

BRSform IS&Rform Image Text HTML

| | U | I | Document I | Issue Da | Page | Title | Current O | Current XR | Retrieval | Inventor | S | C | P | X | 3 | 4 | 5 |
|---|-------------------------------------|-------------------------------------|------------|----------|------|---|-----------|------------|-----------|--------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 1 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 4542973 | 19850924 | 11 | Dynamically controlled scene radiometer | 396/168 | 396/275 | | Johnson; Bruce K. et al. | <input checked="" type="checkbox"/> |
| 2 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 4491406 | 19850101 | 14 | Method and apparatus employing dual photodiodes | 396/168 | 396/233; | | Johnson; Bruce K. | <input checked="" type="checkbox"/> |
| 3 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 4474441 | 19841002 | 14 | Method and apparatus for controlling exposures | 396/162 | 396/275 | | Millard; John B. | <input checked="" type="checkbox"/> |
| 4 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 4432595 | 19840221 | 15 | Optical element for photographic radiometer | 250/226 | 250/353; | | Manning; Monis J. | <input checked="" type="checkbox"/> |
| 5 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 4358186 | 19821109 | 12 | Method and apparatus for controlling exposures | 396/155 | 356/225; | | Johnson; Bruce K. et al. | <input checked="" type="checkbox"/> |
| 6 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 4351593 | 19820928 | 14 | Method and apparatus for selective position | 396/155 | 396/275 | | Johnson; Bruce K. et al. | <input checked="" type="checkbox"/> |
| 7 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 4335959 | 19820622 | 15 | Optical element for photographic radiometer | 356/218 | 359/356; | | Manning; Monis J. | <input checked="" type="checkbox"/> |
| 8 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 4325616 | 19820420 | 10 | Apparatus for varying the spectral filter | 396/155 | 250/482.1 | | Dietz; Milton S. | <input checked="" type="checkbox"/> |
| 9 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 4316659 | 19820223 | 8 | Infrared filter | 396/179 | | | Daniels; Steven | <input checked="" type="checkbox"/> |

Has Details HTML

NUM

444 10/11/05

Ready

EAST - [10966962.wsp:1]

File View Edit Tools Window Help

Drafts

- BRS:
- IS&R:
- BRS:
- BRS:
- IS&R:
- BRS:
- BRS:
- BRS:
- Pending
- Active
 - L1: (4) "4137782"
 - L2: (11) Combined citation search 1
- Failed
- Saved
- Favorites
 - Tagged (1)
 - UDC
 - Queue
 - Trash

Search List Browse Issues Gear

DBs: US-PCPUB; USPAT; USOCR

Default operator: OR

Bulk
 Highlight all terms initially

("2995061" | "3251285" | "3398666" | "4021115" | "4040070").PN. OR
 ("4137782").URPN.

BRSform ISARform Image Text HTML

| | U | I | Document I | Issue Da | Page | Title | Current O | Current XR | Retrieval | Inventor | S | C | P | A | B | C |
|---|---|---|------------|----------|------|---|-----------|-------------------|-----------|-----------------------------------|---|---|---|---|---|---|
| 1 | R | R | US 6862145 | 20050301 | 15 | Positioning mechanism and positioning mecha | 359/696 | 359/699 | | Seo; Shuzo | P | R | R | R | R | R |
| 2 | R | R | US 5133221 | 19920728 | 8 | Pendulum gear, especially for windsh | 74/25 | 15/250.3; 74/32; | | Bruhn; Rainer et al. | P | R | R | R | R | R |
| 3 | R | R | US 4264174 | 19810428 | 7 | Mechanism for retracting and extend | 396/349 | | | Lange; Karl H. et al. | P | R | R | R | R | R |
| 4 | R | R | US 4040070 | 19770802 | 5 | Optimized flash exposure | 396/65 | 396/155; 396/166; | | Hochreiter; William Thomas et al. | P | R | R | R | R | R |
| 5 | R | R | US 4021115 | 19770503 | 6 | Reproduction camera | 355/56 | 355/61; 396/429 | | Jeppesen; Erling E. | P | R | R | R | R | R |
| 6 | R | R | US 3398666 | 19680827 | 3 | Camera focus | 396/144 | | | SEIICHI MAMIYA et al. | P | R | R | R | R | R |
| 7 | R | R | US 3251285 | 19660517 | 5 | Adjusting mechanism. I | 396/72 | | | UTERHART PHILIP E. | P | R | R | R | R | R |
| 8 | R | R | US 2995061 | 19610808 | 11 | Manually powered drive for zoom lens | 396/84 | 352/140; 359/696; | | BRISKIN THEODORE S. et al. | P | R | R | R | R | R |
| 9 | R | R | US 3398666 | 19680827 | 3 | Mechanism for adjusting zoom lens | 396/144 | | | SEIICHI MAMIYA et al. | P | R | R | R | R | R |

Hot Details HTML

NUM

14/11 10/11/04

Ready

EAST - [10966962.wsp:1] X

File View Edit Tools Window Help

Drafts
 IS&R:
 BRS:
 BRS:
 IS&R:
 BRS:
 BRS:
 BRS:
 BRS:
 BRS:
 Pending
 Active
 L1: (5075) sector adj gear
 L2: (1491) bearing and 11
 L3: (319) smooth and 12
 L4: (6605) sector near gear
 L5: (1901) bearing and 14
 L6: (388) smooth and 15

Failed
 Saved
 Favorites
 Tagged (0)
 UDC
 Queue
 Trash

Search
 DBs: US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
 Default operator: OR Bulk
 Highlight all hits initially

smooth and 15

| U | I | Document I | Issue Da | Page | Title | Current O | Current XR | Retrieval | Inventor | S | C | P | X | 3 | 4 | 5 |
|---|---|------------------|----------|------|--|-----------|------------|-----------|------------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---|
| 1 | Γ | US 2005021333 | 20050929 | 12 | Actuator | 362/530 | | | Takiguchi, Tautomi et al. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 2 | Γ | US 2005019423 | 20050908 | 13 | Structure of multiple disc clutch | 192/70.27 | 192/89.21 | | Tsukada, Yoshiaki | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 3 | Γ | US 2005019105 | 20050901 | 40 | Telescoping camera | 396/428 | | | Chapman, Leonard T. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4 | Γ | US 2005016806 | 20050804 | 27 | Brake Device For A crane | 303/113.5 | | | Tani, Kazuhiko et al. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 5 | Γ | US 2005016806 | 20050804 | 28 | Two-Wheeled Motor Veh | 303/20 | | | Nishikawa, Yutaka et al. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 6 | Γ | US 2005016806 | 20050804 | 26 | Brake device for a two-wheeled motor veh | 303/9.62 | | | Tani, Kazuhiko et al. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 7 | Γ | US 2005016805 | 20050804 | 30 | Brake system for a motorcycle and metho | 303/3 | | | Nishikawa, Yutaka et al. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 8 | Γ | US 2005016101 | 20050728 | 28 | Drive of variable valve lift mechanism | 123/90.16 | 123/90.15 | | Fujii, Noriaki et al. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 9 | Γ | US 20050714 | 20050714 | 15 | Fluid metering valve | 251/129.1 | | | Brinks, Barry T. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |

Has Details HTML

NUM [SCR]

My 10/11/07

Ready

Drafts BRS: IS&R: BRS: BRS: IS&R: BRS: BRS: BRS: BRS: Pending

Active L1: (837) sector adj gears L2: (301) teeth and 11

Failed

Saved

Favorites

Tagged (0)

UDC

Queue

Trash

Search List Browse Results Gear
DBs US-PCPUB; USPAT; EPO; JPO; DERWENT; IEM; TDB

Default operator: OR

 Bulk
 Highlight all hits initially

teeth and 11

ERS form ISAR form Image Text HTML

| U | S1 | Document I | Issue Da | Page | Title | Current O | Current XR | Retrieval | Inventor | S | C | P | V | E | 3 | |
|---|----|---------------|----------|------|---|-----------|------------|-----------|-----------------------------|---|---|---|---|---|---|--|
| 1 | F | US 2005021740 | 20051006 | 8 | Selector apparatus of an automatic transmis | 74/473.12 | | | Suzuki, Takayuki et. al. | F | F | F | F | F | F | |
| 2 | F | US 2005021740 | 20051006 | 9 | Selector apparatus of an automatic transmis | 74/473.12 | | | Suzuki, Takayuki et. al. | F | F | F | F | F | F | |
| 3 | F | US 2005021740 | 20051006 | 9 | Selector apparatus of an automatic transmis | 74/473.12 | | | Suzuki, Takayuki et. al. | F | F | F | F | F | F | |
| 4 | F | US 2005018970 | 20050901 | 16 | Banknote moving unit for a banknote storin | 271/180 | | | Takeuchi, Toru et. al. | F | F | F | F | F | F | |
| 5 | F | US 2005017881 | 20050818 | 13 | Friction stir rivet drive system and stir | 228/112.1 | 228/2.1 | | Stevenson, Robin et. al. | F | F | F | F | F | F | |
| 6 | F | US 2005015099 | 20050714 | 13 | Tandem motor actuator | 244/3.24 | 244/49 | | Ericson, Charles R. et. al. | F | F | F | F | F | F | |
| 7 | F | US 2005012684 | 20050616 | 80 | Hydraulic transaxle and vehicle comprising | 180/305 | | | Irikura, Koji | F | F | F | F | F | F | |
| 8 | F | US 2005010392 | 20050519 | 34 | Jam tolerant electromechanical act | 244/10 | | | Flatt, James E. | F | F | F | F | F | F | |
| 9 | F | US 2005021015 | 20050210 | 15 | Interchangeable | 123/52.1 | 123/197.1 | | Giuliani, Robert | F | F | F | F | F | F | |

Has Details HTML

NUM

My 10/11/05

Ready

EAST - [10966962.wsp:1] [S] [X]

File View Edit Tools Window Help

Drafts

- IS&R:
- BRS:
- BRS:
- IS&R:
- BRS:
- BRS:
- BRS:
- BRS:
- Pending
- Active
- L1: (178) (74/89.18).CCLS.
- L2: (153) (74/457).CCLS.
- Failed
- Saved
- Favorites
- Tagged (5)
- UDC
- Queue
- Trash

Search Browse Queue Gear
 DBs: US_PGPUS, USPAT, EPO, JPO, DERWENT, IBM_TDB
 Default operator: OR Highlight all hit terms initially

74/457

BRS form IS&R form Image Text HTML

| U | I | Document I | Issue Da | Page | Title | Current O | Current XR | Retrieval | Inventor | S | C | P | A | R | E | Y | Z | X |
|---|--------------------------|-----------------|----------|------|--|-----------|------------------|-----------|----------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---|
| 1 | <input type="checkbox"/> | US 2005013283 | 20050623 | 10 | Gear tooth profile curvature. | 74/457 | | 74/457 | Colbourne, John R. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 2 | <input type="checkbox"/> | US 2005011201 | 20050526 | 9 | Gear pump, in particular final pump | 418/191 | 74/457 | 74/457 | Marheineke, Marcus | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 3 | <input type="checkbox"/> | US 2005032410 | 20050324 | 8 | Steering pinion | 74/457 | 74/462 | 74/457 | Grobel, Christoph | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4 | <input type="checkbox"/> | US 2004023768 | 20041202 | 14 | Toothed wheel with a toroidal curved pitch | 74/457 | | 74/457 | Hiltbrand, Roland | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 5 | <input type="checkbox"/> | US 2004006494 | 20040408 | 29 | Method of manufacturing asymmetric device | 29/893.3 | 74/457 | 74/457 | Yanagimoto, Kazushi et al. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 6 | <input type="checkbox"/> | US 200312253390 | 20031225 | 12 | Rotary transmission | 74/457 | | 74/457 | Fujikawa, Naoki et al. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 7 | <input type="checkbox"/> | US 2002017885 | 20021205 | 9 | Sheet metal outsert-molded gear | 74/457 | | 74/457 | Konishi, Akio et al. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 8 | <input type="checkbox"/> | US 2002017037 | 20021121 | 14 | Energy saving gear system | 74/465 | 74/422; 74/457; | 74/457 | Stewart, David A. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 9 | <input type="checkbox"/> | US 2002092615 | 20020926 | 15 | Non-involute gears | 74/457 | 74/459.5; 74/457 | 74/457 | Hawkins, Richard | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |

Help Details HTML

Ready

4/11/05

NUM